

T Mumbon	1124	Cooneh Mout	Inn	Wine stemp
L Number	Hits 44		DB USPAT;	Time stamp 2004/04/28 10:49
1	44	Scene data. Same encodess	US-PGPUB;	2004/04/28 10:49
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	18	'scene data' same encode\$3 same video	USPAT;	2004/04/28 10:59
		·	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	1
			IBM TDB	
3	10		USPĀT	2004/04/28 10:51
		"5798804" "5949792" "6044397"		
		"6064796" "6072832" "6111979"		
	2712	"6141385").PN.		1 0004/04/00 10 50
4	3713	multiplex\$3 near10 format\$4 near10 data	USPAT; US-PGPUB;	2004/04/28 10:59
			EPO; JPO;	1
	1		DERWENT;	
			IBM TDB	
5	497	(multiplex\$3 near10 format\$4 near10 data)	USPĀT;	2004/04/28 10:59
		with video	US-PGPUB;	
1	1		EPO; JPO;	
			DERWENT;	
1_			IBM_TDB	
6	89		USPAT;	2004/04/28 11:00
		with video with encod\$3	US-PGPUB;	
1			EPO; JPO;	1
i			DERWENT; IBM TDB	
7	58	((multiplex\$3 near10 format\$4 near10 data)	USPAT;	2004/04/28 11:12
,		with video with encod\$3) and	US-PGPUB;	2004/04/20 11.12
		(@ad<=19991210 or @rlad<=19991210)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
8	1		USPAT;	2004/04/28 11:13
		(@ad<=19991210 or @rlad<=19991210)	US-PGPUB;	
1			EPO; JPO;	
			DERWENT; IBM TDB	
_	53046	Arazi.in. or chen.in.	USPAT;	2002/12/09 16:30
	333.3		US-PGPUB;	2002/12/03 10:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
[-	188	(Arazi.in. or chen.in.) and (725/\$.ccls.	USPAT;	2002/12/09 16:31
		or 709/\$.ccls.)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	92368	((addition\$5 or supplementa\$3 or	USPAT;	2002/12/11 17:37
		subsidiary or ancillary or control or	US-PGPUB;	
		auxiliary or associate\$1 or program)near2	EPO; JPO;	
		(design or information or data or	DERWENT;	
		content)) with (video or TV or CATV or	IBM_TDB	
	7.1	television or image or content)	HODAM	2002/10/00 10 :-
-	31	((Arazi.in. or chen.in.) and (725/\$.ccls. or 709/\$.ccls.)) and (((addition\$5 or	USPAT;	2002/12/09 16:41
		supplementa\$3 or subsidiary or ancillary	US-PGPUB; EPO; JPO;	
		or control or auxiliary or associate\$1 or	DERWENT;	
		program) near2 (design or information or	IBM TDB	
		data or content)) with (video or TV or CATV		
		or television or image or content))		
-	16	(((Arazi.in. or chen.in.) and (725/\$.ccls.	USPAT;	2002/12/09 17:39
		or 709/\$.ccls.)) and (((addition\$5 or	US-PGPUB;	
] [supplementa\$3 or subsidiary or ancillary	EPO; JPO;	
		or control or auxiliary or associate\$1 or program)near2 (design or information or	DERWENT;	
		data or content))with (video or TV or CATV	IBM_TDB	
		or television or image or content))) and		
1 1		(@ad<=19991210 or @rlad<=19991210)		
	3	("4449249" "5526035" "5534944").PN.	USPAT	2002/12/09 16:51

				10000 (10 (00 10 50)
-	18 23	5917830.URPN. ("4755993" "5168353" "5267334" "5305113" "5315584" "5319707" "5359601" "5386213" "5400401"	USPAT USPAT	2002/12/09 16:53 2002/12/09 17:01
		"5418782" "5420640" "5420866" "5448568" "5452006" "5461619" "5493339" "5506904" "5519780" "5583562" "5612742" "5650825" "5757416" "5793410").PN.		
-	4	l	USPAT	2002/12/09 17:17
-	4	5793410.URPN.	USPAT	2002/12/09 17:20
_	26	("4760442" "4995078" "5029333" "5206722" "5247347" "5287539" "5303229" "5341474" "5349457" "5371532" "5387927" "5394559" "5396546" "5404393" "5408260" "5410343" "5414455" "5442390" "5446735" "5533018" "5550577" "5557317" "5583561" "5583864" "5594491" "5603058").PN.	USPAT	2002/12/09 17:21
_	4595	Rao.in.	USPAT;	2002/12/09 17:37
	3	Rao.in.and 725/\$.ccls.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/12/09 17:38
-)	Rad.III.alid 725/\$.CCIS.	US-PGPUB;	2002/12/09 17:38
	95	725/95,96.ccls.	EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/12/09 17:39
	, , ,	7237 33, 30.0013.	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002, 12, 03 2 1 1 0 3
-	67	725/95,96.ccls. and (@ad<=19991210 or @rlad<=19991210)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 17:42
-	51	725/95,96.ccls. and (@ad<=19991210 or @rlad<=19991210) and (mux or multiplex\$3 or combin\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 17:59
-	26	(((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or content))with (video or TV or CATV or television or image or content)) and (725/95,96.ccls. and (@ad<=19991210 or @rlad<=19991210)and (mux or multiplex\$3 or combin\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/11 10:02
-	634	725/48,54,98,116,118,146-148.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/09 17:58
-	326	725/48,54,98,116,118,146-148.ccls. and (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or content))with (video or TV or CATV or television or image or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/09 17:59

				•
-	242	(725/48,54,98,116,118,146-148.ccls. and (((addition\$5 or supplementa\$3 or	USPAT; US-PGPUB; EPO; JPO;	2002/12/09 18:01
		subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or	DERWENT; IBM_TDB	
		content))with (video or TV or CATV or television or image or content))) and (@ad<=19991210) and (mux		
_	135	(((addition\$5 or supplementa\$3 or	USPAT; US-PGPUB;	2002/12/09 19:00
		subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or	EPO; JPO; DERWENT; IBM_TDB	
		content))with (video or TV or CATV or television or image or content))) and (@ad<=19991210) and (## content)) and (## content)		
		((mux or multiplex\$3 or combin\$5)same (server or head\$1end or 'head end' or 'CO' or (central near2 office) or provider))		0000/10/00 10 04
_	665	709/217,219.ccls. and (@ad<=19991210 or @rlad<=19991210)and ((mux or multiplex\$3 or combin\$5)same (server or head\$1end or 'head end' or 'CO' or (central near2	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/09 19:24
-	236	office) or provider))	IBM_TDB USPAT; US-PGPUB;	2002/12/09 19:23
		or combin\$5)same (server or head\$1end or 'head end' or 'CO' or (central near2 office) or provider))) and (((addition\$5	EPO; JPO; DERWENT; IBM TDB	
		or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or	_	
		information or data or content))with (video or TV or CATV or television or image or content))		0000/10/10 10 10
_	24	709/217,219.ccls. and (@ad<=19991210 or @rlad<=19991210) and ((mux or multiplex\$3 or combin\$5) same (server or head\$lend or	USPAT; US-PGPUB; EPO; JPO;	2002/12/10 13:39
		'head end' or 'CO' or (central near2 office) or provider))same (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or content))with (video or TV or CATV	DERWENT; IBM_TDB	
_	2	or television or image or content)) 5579527.pn.	USPAT; US-PGPUB;	2002/12/10 13:39
			EPO; JPO; DERWENT; IBM TDB	
_	310627	((IP or protocol or command or control) with (convert\$3 or transform\$3 or MPEG\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/11 10:00
_	7397	((IP or protocol or command or control) with (convert\$3 or transform\$3 or	IBM_TDB USPAT; US-PGPUB;	2002/12/11 10:02
	_	MPEG\$2))same (multiplex\$3 or combin\$3 or modulat\$3 or encod\$3)same (program or stream or video or TV or television)	EPO; JPO; DERWENT; IBM_TDB	
_	1535	((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2	USPAT; US-PGPUB; EPO; JPO;	2002/12/11 10:05
		<pre>(design or information or data or content))same (((IP or protocol or command or control) with (convert\$3 or transform\$3 or MPEG\$2))same (multiplex\$3 or combin\$3</pre>	DERWENT; IBM_TDB	
		or modulat\$3 or encod\$3)same (program or stream or video or TV or television))		

_	243	(((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2	USPAT; US-PGPUB; EPO; JPO;	2003/05/29 15:31
		(design or information or data or content))same (((IP or protocol or command or control) with (convert\$3 or transform\$3 or MPEG\$2))same (multiplex\$3 or combin\$3 or modulat\$3 or encod\$3)same (program or stream or video or TV or television))) and (725/\$ or 709/\$).ccls.	DERWENT; IBM_TDB	
_	167	((((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or content))same (((IP or protocol or command or control) with (convert\$3 or transform\$3 or MPEG\$2))same (multiplex\$3 or combin\$3 or modulat\$3 or encod\$3)same (program or stream or video or TV or television))) and (725/\$ or 709/\$).ccls.) and (@ad<=19991210 or @rlad<=19991210) and (server or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/11 12:48
-	10	head\$lend or 'head end' or 'CO' or (central near2 office) or provider) (IP or 'internet protocol') with (ASI or 'asynchronous serial interface')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/11 12:53
-	8	((IP or 'internet protocol') with (ASI or 'asynchronous serial interface')) and (@ad<=19991210)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/11 13:03
-	16	(IP or 'internet protocol') same (ASI or 'asynchronous serial interface')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/11 12:53
-	8	<pre>(((IP or 'internet protocol') same (ASI or 'asynchronous serial interface')) not (((IP or 'internet protocol') with (ASI or 'asynchronous serial interface')) and (@ad<=19991210 or @rlad<=19991210)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/11 12:54
-	2	<pre>((((IP or 'internet protocol') same (ASI or 'asynchronous serial interface')) not (((IP or 'internet protocol') with (ASI or 'asynchronous serial interface')) and (@ad<=19991210 or @rlad<=19991210))) and (@ad<=19991210 or @rlad<=19991210)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/11 14:15
_	10	((IP or 'internet protocol') same (ASI or 'asynchronous serial interface')) and (@ad<=19991210)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/11 14:26
-	6	(statistical near2 multiplex\$3) same (availability near2 bandwidth)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/11 14:25
-	3	((statistical near2 multiplex\$3) same (availability near2 bandwidth)) and (@ad<=19991210)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/11 14:15
_	424	<pre>(statistical near2 multiplex\$3) same (bandwidth)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/11 14:25

				•
-	269	(statistical near2 multiplex\$3) with (bandwidth)	USPAT; US-PGPUB; EPO; JPO;	2002/12/11 14:25
			DERWENT; IBM TDB	
-	38	((statistical near2 multiplex\$3) with (bandwidth)) and (725/\$.ccls. or 709/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/11 14:26
_	24	bandwidth)) and (725/\$.ccls. or 709/\$.ccls.)) and (@ad<=19991210 or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/12/11 17:37
_	10974	<pre>@rlad<=19991210) (((addition\$5 or supplementa\$3 or subsidiary or ancillary or control or</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB;	2002/12/11 17:52
-	554	auxiliary or associate\$1 or program)near2 (design or information or data or content))or IP)same (priorit\$4) ((((addition\$5 or supplementa\$3 or	EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/12/11 17:56
		subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or content))or IP)with (priorit\$4))same (mux or multiplex\$3 or combin\$3 or insert\$3)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
_	326		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/12/11 17:57
_	74120	or multiplex\$3 or combin\$3 or insert\$3) insert\$3 with prior\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/11 17:57
-	19389	(725/\$ or 709/\$).ccls. and (@ad<=19991210 or @rlad<=19991210)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/11 17:58
-	28	subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2 (design or information or data or content))or IP)with (priorit\$4))with (mux	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/12/11 18:09
	1.00	or multiplex\$3 or combin\$3 or insert\$3)) and ((725/\$ or 709/\$).ccls. and (@ad<=19991210 or @rlad<=19991210))		2000/40/44 45 50
-	460	(insert\$3 with prior\$6) and ((725/\$ or 709/\$).ccls. and (@ad<=19991210 or @rlad<=19991210))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/12/11 17:59
-	1	('high speed' near3 ASI) or (HS\$1ASI)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/29 14:25
-	0	('high speed' near3 ASI) or (HS\$1ASI) and 'in band'	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/29 14:29
-	8672	('high speed' near3 ASI) or (HS\$1ASI) or 'in band' or in\$1band	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/05/29 14:32
			IBM_TDB	

			-	
	216	('in band' or in\$1band) same (multiplex\$3	USPAT;	2003/05/29 14:35
		or mux or switch\$3 or combin\$4 or mix\$3)	US-PGPUB;	
		same (stream\$3)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/05/00 14 40
-	130		USPAT;	2003/05/29 14:49
		or mux or switch\$3 or combin\$4 or mix\$3)	US-PGPUB;	
		same (content or program)	EPO; JPO; DERWENT;	
			IBM TDB	
	2	6300659.pn.	USPAT;	2003/05/29 14:38
-	_	0500059.pm:	US-PGPUB;	2000,00,23
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	6		USPAT	2003/05/29 14:51
		"5818438" "5850218" "6055315").PN.		
_	0	6240553.URPN.	USPAT	2003/05/29 14:58
_	94		USPAT;	2003/05/29 15:25
		or mux or switch\$3 or combin\$4 or mix\$3)	US-PGPUB;	
		same (content or program)) and	EPO; JPO;	
		(@ad<=19991210 or @rlad<=19991210)	DERWENT;	
			IBM_TDB	2003/05/29 15:30
-	2352	ASI	USPAT; US-PGPUB;	2003/03/29 13:30
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	15	ASI same (high adj speed)	USPAT;	2003/05/29 15:26
		ADI Dame (Migh da) Speed)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	(ASI same (high adj speed)) and	USPAT;	2003/05/29 15:53
		(@ad<=19991210 or @rlad<=19991210)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2003/05/29 15:46
_	490		USPAT; US-PGPUB;	2003/05/29 15:46
		subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2	EPO; JPO;	
		(design or information or data or	DERWENT;	
		content))and ASI	IBM TDB	ĺ
_	23	((addition\$5 or supplementa\$3 or	USPAT;	2003/05/29 15:48
		subsidiary or ancillary or control or	US-PGPUB;	
		auxiliary or associate\$1 or program)near2	EPO; JPO;	
	1	(design or information or data or	DERWENT;	
	1	content)) and ASI and 725/\$.ccls.	IBM_TDB	
-	14	((addition\$5 or supplementa\$3 or	USPĀT;	2003/05/29 15:53
	1	subsidiary or ancillary or control or	US-PGPUB;	
	1	auxiliary or associate\$1 or program)near2	EPO; JPO;	
		(design or information or data or	DERWENT;	
	1	content)) and ASI and (725/87-104).ccls.	IBM_TDB USPAT;	2003/05/29 15:53
-	13		US-PGPUB;	2003/03/29 13:33
		subsidiary or ancillary or control or auxiliary or associate\$1 or program)near2	EPO; JPO;	
	1	design or information or data or	DERWENT;	
		content)) and ASI and 725/\$.ccls.) and	IBM TDB	
		(@ad<=19991210 or @rlad<=19991210)	15155	
_	7	1 .	USPAT;	2003/05/29 16:00
	1	subsidiary or ancillary or control or	US-PGPUB;	
	1	auxiliary or associate\$1 or program)near2	EPO; JPO;	
		(design or information or data or	DERWENT;	
			DERWENT; IBM_TDB	

[-	6	((((addition\$5 or supplementa\$3 or	USPAT;	2003/05/30 09:05
		subsidiary or ancillary or control or	US-PGPUB;	
		auxiliary or associate\$1 or program) near2	EPO; JPO; DERWENT;	
.		(design or information or data or content)) and ASI and 725/\$.ccls.) and	IBM TDB	
		(@ad<=19991210 or @rlad<=19991210)) not	1511_155	ĺ
		((((addition\$5 or supplementa\$3 or		
		subsidiary or ancillary or control or		
		auxiliary or associate\$1 or program)near2]
		(design or information or data or		
		content)) and ASI and (725/87-104).ccls.)		9
		and (@ad<=19991210 or @rlad<=19991210))		
-	0	6154772.pn. and IP	USPAT;	2003/05/30 09:06
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	20808	6154772.pn. and IP or 'internet protocol'	USPAT;	2003/05/30 09:06
	20000	or internet protocor	US-PGPUB;	2003,03,30 03.00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	. 1
-	0	6154772.pn. and (IP or 'internet	USPĀT;	2003/05/30 09:06
		protocol')	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		270/527	IBM_TDB	0002/11/12 10:05
_	604	370/537.ccls.	USPAT; US-PGPUB;	2003/11/13 18:05
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
<u>-</u>	531	370/537.ccls. and multiplex\$4	USPAT;	2003/11/13 18:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	31	370/537.ccls. and (statistical\$3 with	USPAT;	2003/11/13 18:53
		multiplex\$4)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	28	(370/537.ccls. and (statistical\$3 with	USPAT;	2003/11/13 18:54
		multiplex\$4)) and (@ad<=19991210 or	US-PGPUB;	
		@rlad<=19991210)	EPO; JPO;	,
			DERWENT;	
			IBM_TDB	0000/41/15
-	23	1 '''	USPAT;	2003/11/13 18:54
		available) near2 bandwidth) same	US-PGPUB;	
		multiplex\$4)	EPO; JPO; DERWENT;	
			IBM TDB	
-	19	(370/537.ccls. and (((spare or waste\$1 or	USPAT;	2003/11/13 19:01
1		available) near2 bandwidth) same	US-PGPUB;	
1		multiplex\$4)) and (@ad<=19991210 or	EPO; JPO;	
		@rlad<=19991210)	DERWENT;	.
	1	l	IBM_TDB	
-	2	5506844.pn.	USPAT;	2003/11/13 19:01
			US-PGPUB;	
	1		EPO; JPO; DERWENT;	
			IBM TDB	
l _	32	(IP near2 format\$4) with MPEG	USPAT;	2004/04/26 22:56
	52	, House Tormory I/ With Manu	US-PGPUB;	=====================================
]	1		EPO; JPO;	
1	1		DERWENT;	
1	1		IBM_TDB	
-	3935	(mux or multiplexer) with (format\$5)	USPĀT;	2004/04/26 22:56
1			US-PGPUB;	
	[EPO; JPO;	
I			DERWENT;	
L	L		IBM_TDB	l

-	2000	((mux or multiplexer) with (format\$5) with (data or application))	USPAT; US-PGPUB;	2004/04/26 22:59
			EPO; JPO; DERWENT;	
_	1671	(((mux or multiplexer) with (format\$5)	IBM_TDB USPAT;	2004/04/26 22:58
		with (data or application))) and (@ad<=19991210 or @rlad<=19991210)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM_TDB	
_	1187	(((mux or multiplexer) with (format\$5) with (data or application))) and	USPAT; US-PGPUB;	2004/04/26 22:59
		(@ad<=19991210 or @rlad<=19991210)and (guide or application)	EPO; JPO; DERWENT;	
_	383	((((mux or multiplexer) with (format\$5)	IBM_TDB USPAT;	2004/04/26 22:58
		with (data or application))) and (@ad<=19991210 or @rlad<=19991210)and (guide or application)) and (370/\$.ccls.	US-PGPUB; EPO; JPO; DERWENT;	
_	6	or 725/\$.ccls.) ((mux or multiplexer) with statistical\$3	IBM_TDB USPAT;	2004/04/26 23:03
		<pre>with (format\$5) with (data or application))</pre>	US-PGPUB; EPO; JPO; DERWENT;	
_	11	((mux or multiplexer) with statistical\$3	IBM_TDB USPAT;	2004/04/26 22:59
		with format\$5)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	·
_	8	(((mux or multiplexer) with statistical\$3 with format\$5)) and (@ad<=19991210 or	USPAT; US-PGPUB;	2004/04/26 22:59
		@rlad<=19991210)	EPO; JPO; DERWENT;	
_	1369	(((mux or multiplexer) near10 format\$5) with (data or application))	IBM_TDB USPAT; US-PGPUB;	2004/04/26 23:03
		with (data of application)	EPO; JPO; DERWENT;	
_	342	(((mux or multiplexer) near10 format\$5)	IBM_TDB USPAT;	2004/04/26 23:04
		<pre>with (data or application) with (convert\$3 or transform\$3 or reformat\$3))</pre>	US-PGPUB; EPO; JPO;	
	200	////mw on multiplayer) result format(E)	DERWENT; IBM_TDB	2004/04/26 22:07
	288	<pre>((((mux or multiplexer) near10 format\$5) with (data or application) with (convert\$3 or transform\$3 or reformat\$3))) and</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/04/26 23:07
		(@ad<=19991210 or @rlad<=19991210)	DERWENT; IBM TDB	
-	144	<pre>((((mux or multiplexer) near10 format\$5) with (data or application) with (convert\$3</pre>	USPAT; US-PGPUB;	2004/04/26 23:07
		or transform\$3 or reformat\$3))) and (@ad<=19991210 or @rlad<=19991210) and	EPO; JPO; DERWENT;	
_	84	,,,,	IBM_TDB USPAT;	2004/04/26 23:07
		with (data or application) with (convert\$3 or transform\$3 or reformat\$3))) and (@ad<=19991210 or @rlad<=19991210) and	US-PGPUB; EPO; JPO; DERWENT;	
_	23	video and encod\$3	IBM_TDB USPAT;	2004/04/26 23:08
		<pre>with (data or application) with (convert\$3 or transform\$3 or reformat\$3))) and</pre>	US-PGPUB; EPO; JPO;	
		(@ad<=19991210 or @rlad<=19991210) and video and encod\$3 and (725/\$.ccls. or	DERWENT; IBM_TDB	
		370/\$.ccls.)		